The powerful, long-life, low-noise high-pressure washer. Ideal for frequent or larger cleaning tasks

This powerful Nilfisk with long-life induction motor easily handles larger and frequent cleaning tasks.

It offers good ergonomics and a large range of operation with its 9m soft hose or 10m steel armed hose. From gentle cleaning of more soft or sensitive surfaces to blasting away ingrained dirt.

It is equiped with many invaluable features, when you need to work for longer periods of time; telescopic handle, sturdy wheels, long hose and one-hand operated hose reel as well as a rubber suspension to ensure lower noise.

To increase performance, this Nilfisk comes with Click&Clean connectivity for a range of optional accessories.

These machines offer a wide variety of benefits and features:

- 145 bar, max pressure
- Sturdy built with aluminum pump and long-life induction motor.
- · Automatic start/ stop system
- 9m soft hose or 10 steelarmed hose
- · One-hand operated hose reel
- · Telescopic handle with sturdy and robust aluminum tubes
- Rubber suspension ensures a lower noise when working
- · Easy storage of gun, lance, nozzles and foam sprayer onboard
- Click&Clean nozzle system ensures quick and easy change of nozzle.
- · The X-TRA model features a built-in trolley for increased mobility.
- · Can be used as stationary machine with optional wall hook

	Included accessories		Min. required	E 145.4-9 X- TRA UK	E 145.4-9 P X-TRA UK	E 145.4-9 PA X-TRA UK
Hose and Co	nnection					
	HOSE TEXTILE SOFT 9M FOR MODEL	128500654	0	•	•	•
Nozzle - High	Pressure Washer					
	TORNADO CC 4 DOTS DARK BLUE	128500854	0	•	•	•
Brush						
	ROTARY BRUSH	126411395	0			•
Accessory						
	C&C FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
9	DRAIN AND TUBE 8M	128500461	0			
0	DRAIN AND TUBE CLEANER ALTO	6410766	0			
	G4 NOZZLE TUBE SHORT	128500676	0	•	•	•



The powerful, long-life, low-noise high-pressure washer. Ideal for frequent or larger cleaning tasks

	Included accessories		Min. required	E 145.4-9 X- TRA UK	E 145.4-9 P X-TRA UK	E 145.4-9 PA X-TRA UK
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•	•
7	NILFISK PATIO ACCESSORY	128500702	0		•	•
19	NILFISK POWER PATIO	128500955	0			

Standard equipment						
	Included accessories	Ref. no.	Min. required	E 145.4-9 PAD X-TRA UK	E 145.4-9 POWER X- TRA UK	E 145.4-9 X- TRA EU
Hose and Co	nnection					
	HOSE TEXTILE SOFT 9M FOR MODEL	128500654	0	•	•	•
Nozzle - High	Pressure Washer					
	TORNADO CC 4 DOTS DARK BLUE	128500854	0	•	•	•
Brush		<u>'</u>				
	ROTARY BRUSH	126411395	0	•		
Accessory						
	C&C FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
9	DRAIN AND TUBE 8M	128500461	0			
0	DRAIN AND TUBE CLEANER ALTO	6410766	0	•		
	G4 NOZZLE TUBE SHORT	128500676	0	•	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•	•



The powerful, long-life, low-noise high-pressure washer. Ideal for frequent or larger cleaning tasks

Included accessories		Ref. no.	Min. required	E 145.4-9 PAD X-TRA UK	E 145.4-9 POWER X- TRA UK	E 145.4-9 X- TRA EU
	NILFISK PATIO ACCESSORY	128500702	0	•		
19	NILFISK POWER PATIO	128500955	0		•	

Standard equipment						
	Included accessories	Ref. no.	Min. required	E 145.4-9 P X- TRA EU	E 145.4-9 PA X-TRA EU	E 145.4-9 PAD X-TRA EU
Hose and Cor	nnection					
9	HOSE TEXTILE SOFT 9M FOR MODEL	128500654	0	•	•	•
Nozzle - High	Pressure Washer					
	TORNADO CC 4 DOTS DARK BLUE	128500854	0	•	•	•
Brush						
	ROTARY BRUSH	126411395	0		•	•
Accessory		<u>'</u>	1			
7	C&C FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
9	DRAIN AND TUBE 8M	128500461	0			•
O	DRAIN AND TUBE CLEANER ALTO	6410766	0			
	G4 NOZZLE TUBE SHORT	128500676	0	•	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•	•
7	NILFISK PATIO ACCESSORY	128500702	0	•	•	•



The powerful, long-life, low-noise high-pressure washer. Ideal for frequent or larger cleaning tasks

	Included accessories	Ref. no.	Min. required	E 145.4-9 P X- TRA EU	E 145.4-9 PA X-TRA EU	E 145.4-9 PAD X-TRA EU
10	NILFISK POWER PATIO	128500955	0			

	Included accessories	Ref. no.	Min. required	E 145.4-9 POWER X- TRA EU
Hose and Cor	nnection			
9	HOSE TEXTILE SOFT 9M FOR MODEL	128500654	0	•
Nozzle - High	Pressure Washer			
	TORNADO CC 4 DOTS DARK BLUE	128500854	0	•
Brush				
	ROTARY BRUSH	126411395	0	
Accessory				
7	C&C FOAMSPRAYER WITH BOTTLE	128500077	0	•
9	DRAIN AND TUBE 8M	128500461	0	
0	DRAIN AND TUBE CLEANER ALTO	6410766	0	
	G4 NOZZLE TUBE SHORT	128500676	0	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•
	NILFISK PATIO ACCESSORY	128500702	0	
10	NILFISK POWER PATIO	128500955	0	•



Ret. no. 128471186 128471187 128471181 <th< th=""><th>Model</th><th>E 145.4-9 X-TRA UK</th><th>E 145.4-9 P X-TRA UK</th><th>E 145.4-9 PA X- TRA UK</th></th<>	Model	E 145.4-9 X-TRA UK	E 145.4-9 P X-TRA UK	E 145.4-9 PA X- TRA UK
Pump pressure (bar/MPa) Max 145/ max 14.5 Max 145/ max 14.5 Abx 145/ max 14.5 230 - 240 230 - 240 230 - 240 230 - 240 230 - 240 230 - 240 230 - 240 230 - 240 250 - 240 250 - 240 250 - 240 250 - 240 250 - 240 250 - 240 250 - 240 250 - 240 250 - 240 250 - 240 250 - 240 250 - 240 250 - 240 260 - 240 2	Ref. no.	128471186	128471188	128471190
Voltage (V) 230 - 240 230 - 240 230 - 240 231 - 240 Rated power (kW) 2.1 2.1 2.1 Power consumption (A) 9.5 9.5 9.5 Water flow Cynax/Cliec (kh) 500/ 420 500/ 420 500/ 420 Mose length (m) 9 9 9 0 Mess indet temperature (°C) 40 40 40 Length x width x height (mm) 395 x 345 x 900 395 x 345 x 900 395 x 345 x 900 Weight (kg) 18.6 18.6 18.6 18.6 Model £145 x 49 x 718 £145 x 49 x 7180 245 x 47184 Ref. no. 12847 1192 £12847 1192 £12847 1185 Ref. no. 12847 1192 £12847 1194 £125 x 49 x 7188 Pump pressure (bar/MPa) Max 145 max 14.5 Max 145 max 14	Technical specifications			
Rated power (kW) 2.1 2.1 2.1 Power consumption (A) 9.5 9.5 9.5 Water flow Omax/Qiec (t/h) 500/ 420 500/ 420 500/ 420 Hose length (m) 9 9 9 Max, inlet temperature (*C) 40 40 40 Hength x width x height (mm) 385 x 345 x 900 395 x 345 x 900 395 x 345 x 900 Weight (kg) 18.6 18.6 18.6 Model 18.74 LW 18.6 18.6 Model 12847119C 12847119C 12847119C Ref. no. 12847119C 12847119C 12847119C Technical specifications Technical specifications 40 40 44 Pump pressure (bar/MPa) Max 145/ max 14.5 Max 145/	Pump pressure (bar/MPa)	Max 145/ max 14.5	Max 145/ max 14.5	Max 145/ max 14.5
Power consumption (A) 9.5 9.5 9.5 Water flow Qmax/Qiec (I/h) 500/ 420 500/ 420 500/ 420 Hose length (m) 9 9 9 Max. inlet temperature (°C) 40 40 40 Length x width x height (mm) 395 x 345 x 90 395 x 345 x 90 395 x 345 x 90 Weight (kg) 18.6 18.6 18.6 Model 18.64 18.6 18.6 Model 12847192 12847190 12847192 Ref. no. 128471192 128471194 128471185 Technical specifications 7 280 x 240 228471185 Pump pressure (bar/MPa) Max 145′ max 14.5	Voltage (V)	230 - 240	230 - 240	230 - 240
Water flow Omax/Diec (l/h) 500/ 420 500/ 420 500/ 420 9 8 345 x 90 20	Rated power (kW)	2.1	2.1	2.1
Hose length (m) 9 9 9 Max. inlet temperature (°C) 40 40 40 Length x width x height (mm) 395 x 345 x 900	Power consumption (A)	9.5	9.5	9.5
Max. inlet temperature (°C) 40 40 40 Length x width x height (mm) 395 x 345 x 900 395 x 345 x 900 395 x 345 x 900 Weight (kg) 18.6 18.6 18.6 Model E 145.4.9 PAD X: TRA UK E 145.4.9 PCWER E 145.4.9 X-TRA Ref. no. 128471192 128471194 128471185 Technical specifications Pump pressure (bar/MPa) Max 145/max 14.5 230 - 240 230 - 240 230 - 240 230 - 240 230 - 240 230 - 240 230 - 240 230 - 240 230 - 240 230 - 240 230 - 240 230 - 240 240 40<	Water flow Qmax/Qiec (I/h)	500/ 420	500/ 420	500/ 420
Length x width x height (mm) 395 x 345 x 900 <	Hose length (m)	9	9	9
Weight (kg) 18.6 18.6 18.6 Model E 145.4.9 PAD X: TRA UK E 145.4-9 POWER LX-TRA UK E 145.4-9 X-TRA UK Ref. no. 128471192 128471194 128471185 Technical specifications Pump pressure (bar/MPa) Max 145/max 14.5 Max 145/max 14.5 <th< td=""><td>Max. inlet temperature (°C)</td><td>40</td><td>40</td><td>40</td></th<>	Max. inlet temperature (°C)	40	40	40
Model E 145.4.9 PAD.X. TRA UK E 145.4.9 PCWR X.TRA UK E 145.4.9 X.TRA UK Max 145/ max 14.5 Max 145/ ma	Length x width x height (mm)	395 x 345 x 900	395 x 345 x 900	395 x 345 x 900
Model TRA UK X-TRA UK EU Ref. no. 128471192 128471194 128471185 Technical specifications Technical specifications Wax 145/ max 14.5 Max 145/ max 14.5 9.5 18.6 <td< td=""><td>Weight (kg)</td><td>18.6</td><td>18.6</td><td>18.6</td></td<>	Weight (kg)	18.6	18.6	18.6
Technical specifications Pump pressure (bar/MPa) Max 145/ max 14.5 230 - 240 230 - 240 230 - 240 230 - 240 230 - 240 230 - 240 230 - 240 250 - 240 <td>Model</td> <td></td> <td></td> <td></td>	Model			
Pump pressure (bar/MPa) Max 145/ max 14.5 Max 145/ max 14.5 Max 145/ max 14.5 Max 145/ max 14.5 Voltage (V) 230 - 240 230	Ref. no.	128471192	128471194	128471185
Voltage (V) 230 - 240 230 - 240 230 - 240 Rated power (kW) 2.1 2.1 2.1 Power consumption (A) 9.5 9.5 9.5 Water flow Qmax/Qiec (l/h) 500/ 420 500/ 420 500/ 420 Hose length (m) 9 9 9 9 Max. inlet temperature (°C) 40<	Technical specifications			
Rated power (kW) 2.1 2.1 2.1 Power consumption (A) 9.5 9.5 9.5 Water flow Qmax/Qiec (I/h) 500/ 420 500/ 420 500/ 420 Hose length (m) 9 9 9 9 Max. inlet temperature (°C) 40 40 40 40 Length x width x height (mm) 395 x 345 x 900 395 x 3	Pump pressure (bar/MPa)	Max 145/ max 14.5	Max 145/ max 14.5	Max 145/ max 14.5
Power consumption (A) 9.5 9.5 9.5 Water flow Qmax/Qiec (I/h) 500/ 420 500/ 420 500/ 420 Hose length (m) 9 9 9 Max. inlet temperature (°C) 40 40 40 Length x width x height (mm) 395 x 345 x 900 395 x 345 x 900 395 x 345 x 900 Weight (kg) 18.6 18.6 18.6 Model E 145.4-9 P.X-TRA EU E 145.4-9 P.X-TRA EU E 145.4-9 P.X-TRA EU Ref. no. 128471187 128471189 128471191 Technical specifications Warp pressure (bar/MPa) Max 145/ max 14.5 Max 145/ max 14.5 Max 145/ max 14.5 Voltage (V) 230 - 240 230 - 240 230 - 240 Rated power (kW) 2.1 2.1 2.1 Power consumption (A) 9.5 9.5 9.5 Water flow Qmax/Qiec (I/h) 500/ 420 500/ 420 500/ 420 Hose length (m) 9 9 9 Max. inlet temperature (°C) 40 40 40	Voltage (V)	230 - 240	230 - 240	230 - 240
Water flow Qmax/Qiec (I/h) 500/ 420 500/ 420 500/ 420 Hose length (m) 9 9 9 Max. inlet temperature (°C) 40 40 40 Length x width x height (mm) 395 x 345 x 900 395 x 345 x 900 395 x 345 x 900 Weight (kg) 18.6 18.6 18.6 Model E 145.4-9 P X-TRA EU E 145.4-9 P A X-TRA EU E 145.4-9 P A X-TRA EU Ref. no. 128471187 128471189 128471191 Technical specifications Pump pressure (bar/MPa) Max 145/ max 14.5	Rated power (kW)	2.1	2.1	2.1
Hose length (m) 9 9 9 Max. inlet temperature (°C) 40 40 40 Length x width x height (mm) 395 x 345 x 900	Power consumption (A)	9.5	9.5	9.5
Max. inlet temperature (°C) 40 40 40 Length x width x height (mm) 395 x 345 x 900 395 x 345 x 900 395 x 345 x 900 Weight (kg) 18.6 18.6 18.6 Model E 145.4-9 P X-TRA EU E 145.4-9 PA X-TRA EU E 145.4-9 PA X-TRA EU Ref. no. 128471187 128471189 128471191 Technical specifications Wax 145/ max 14.5 Max 145/ max 14.5 Max 145/ max 14.5 Pump pressure (bar/MPa) Max 145/ max 14.5 Max 145/ max 14.5 Max 145/ max 14.5 Voltage (V) 230 - 240 230 - 240 230 - 240 Rated power (kW) 2.1 2.1 2.1 Power consumption (A) 9.5 9.5 9.5 Water flow Qmax/Qiec (l/h) 500/ 420 500/ 420 500/ 420 Hose length (m) 9 9 9 Max. inlet temperature (°C) 40 40 40	Water flow Qmax/Qiec (I/h)	500/ 420	500/ 420	500/ 420
Length x width x height (mm) 395 x 345 x 900 395 x 345 x 900 395 x 345 x 900 Weight (kg) 18.6 18.6 18.6 Model E 145.4-9 PX-TRA EU E 145.4-9 PA X-TRA EU TRA EU E 145.4-9 PA X-TRA EU TRA EU Ref. no. 128471187 128471189 128471191 Technical specifications Wax 145/ max 14.5 Max 145/ max 14.5 Max 145/ max 14.5 Pump pressure (bar/MPa) Max 145/ max 14.5 Max 145/ max 14.5 Max 145/ max 14.5 Voltage (V) 230 - 240 230 - 240 230 - 240 Rated power (kW) 2.1 2.1 2.1 Power consumption (A) 9.5 9.5 9.5 Water flow Qmax/Qiec (l/h) 500/ 420 500/ 420 500/ 420 Hose length (m) 9 9 9 Max. inlet temperature (°C) 40 40 40	Hose length (m)	9	9	9
Weight (kg) 18.6 18.6 18.6 Model E 145.4-9 PX-TRA EU E 145.4-9 PAX-TRA EU TRA EU E 145.4-9 PAD X-TRA EU Ref. no. 128471187 128471189 128471191 Technical specifications Pump pressure (bar/MPa) Max 145/ max 14.5 Aux 145/ max 14.5 Max 145/ max 14.5 Max 145/ max 14.5 1.0 230 - 240 230	Max. inlet temperature (°C)	40	40	40
Model E 145.4-9 P X-TRA EU E 145.4-9 PA X-TRA EU E 145.4-9 PA X-TRA EU E 145.4-9 PA X-TRA EU E 145.4-9 PAD X-TRA EU AU X 145 MAX 14.5 MAX 145 MAX	Length x width x height (mm)	395 x 345 x 900	395 x 345 x 900	395 x 345 x 900
Ref. no. 128471187 128471189 128471191 Technical specifications Pump pressure (bar/MPa) Max 145/ max 14.5 Max 145/ max 14.5 <td>Weight (kg)</td> <td>18.6</td> <td>18.6</td> <td>18.6</td>	Weight (kg)	18.6	18.6	18.6
Technical specifications Pump pressure (bar/MPa) Max 145/ max 14.5 Max 145/ max 14.5 Max 145/ max 14.5 Voltage (V) 230 - 240 230 - 240 230 - 240 Rated power (kW) 2.1 2.1 2.1 Power consumption (A) 9.5 9.5 9.5 Water flow Qmax/Qiec (I/h) 500/ 420 500/ 420 500/ 420 Hose length (m) 9 9 9 Max. inlet temperature (°C) 40 40 40	Model			
Pump pressure (bar/MPa) Max 145/ max 14.5 Max 145/ max 14.5 Max 145/ max 14.5 Voltage (V) 230 - 240 230 - 240 230 - 240 Rated power (kW) 2.1 2.1 2.1 Power consumption (A) 9.5 9.5 9.5 Water flow Qmax/Qiec (I/h) 500/ 420 500/ 420 500/ 420 Hose length (m) 9 9 9 Max. inlet temperature (°C) 40 40 40	Ref. no.	128471187	128471189	128471191
Voltage (V) 230 - 240 230 - 240 230 - 240 Rated power (kW) 2.1 2.1 2.1 Power consumption (A) 9.5 9.5 9.5 Water flow Qmax/Qiec (I/h) 500/ 420 500/ 420 500/ 420 Hose length (m) 9 9 9 Max. inlet temperature (°C) 40 40 40	Technical specifications			
Rated power (kW) 2.1 2.1 2.1 Power consumption (A) 9.5 9.5 9.5 Water flow Qmax/Qiec (I/h) 500/ 420 500/ 420 500/ 420 Hose length (m) 9 9 9 Max. inlet temperature (°C) 40 40 40	Pump pressure (bar/MPa)	Max 145/ max 14.5	Max 145/ max 14.5	Max 145/ max 14.5
Power consumption (A) 9.5 9.5 9.5 Water flow Qmax/Qiec (I/h) 500/ 420 500/ 420 500/ 420 Hose length (m) 9 9 9 Max. inlet temperature (°C) 40 40 40	Voltage (V)	230 - 240	230 - 240	230 - 240
Water flow Qmax/Qiec (I/h) 500/ 420 500/ 420 500/ 420 Hose length (m) 9 9 9 Max. inlet temperature (°C) 40 40 40	Rated power (kW)	2.1	2.1	2.1
Hose length (m) 9 9 9 Max. inlet temperature (°C) 40 40 40	Power consumption (A)	9.5	9.5	9.5
Max. inlet temperature (°C) 40 40	Water flow Qmax/Qiec (I/h)	500/ 420	500/ 420	500/ 420
	Hose length (m)	9	9	9
Length x width x height (mm) 395 x 345 x 900 395 x 345 x 900 395 x 345 x 900	Max. inlet temperature (°C)	40	40	40
	Length x width x height (mm)	395 x 345 x 900	395 x 345 x 900	395 x 345 x 900



The powerful, long-life, low-noise high-pressure washer. Ideal for frequent or larger cleaning tasks

Model	E 145.4-9 P X-TRA EU	E 145.4-9 PA X-TRA EU	E 145.4-9 PAD X- TRA EU
Ref. no.	128471187	128471189	128471191
Technical specifications			
Weight (kg)	18.6	18.6	18.6
Model			E 145.4-9 POWER X-TRA EU
Ref. no.			128471193
Technical specifications			
Pump pressure (bar/MPa)			Max 145/ max 14.5
Voltage (V)			230 - 240
Rated power (kW)			2.1
Power consumption (A)			9.5
Water flow Qmax/Qiec (I/h)			500/ 420
Hose length (m)			9
Max. inlet temperature (°C)			40
Length x width x height (mm)			395 x 345 x 900
Weight (kg)			18.6

 \bullet Standard equipment, $^{\circlearrowleft}$ Supplementary accessories, \Box Mountable equipment

	Accessories	Ref. no.	Min. required	E 145.4-9 X- TRA UK	E 145.4-9 P X-TRA UK	E 145.4-9 PA X-TRA UK
Brush						
	AUTOBRUSH ALONE	6411131	0	0	0	0
	Car brush head	128500463	0	0	0	0
	FIXED BRUSH SHORT NILFISK SP	128500685	0	0	0	0
	Garden brush head	128470457	0	0	0	0
	RIM BRUSH HEAD	128470458	0	0	0	0



	Accessories	Ref. no.	Min. required	E 145.4-9 X- TRA UK	E 145.4-9 P X-TRA UK	E 145.4-9 PA X-TRA UK
	ROTARY BRUSH	126411395	0	0	0	•
3	ROTARY BRUSH	6410762	0	0	0	0
Accessory						
	C&C FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
9	DRAIN AND TUBE 8M	128500461	0	0	0	0
O	DRAIN AND TUBE CLEANER ALTO	6410766	0	0	0	0
	G4 NOZZLE TUBE SHORT	128500676	0	•	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•	•
	INLET SUCTION HOSE 3M	128500673	0	0	0	0
	MULTI BRUSH	128470456	0	0	0	0
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0	0	0	0
7	NILFISK PATIO ACCESSORY	128500702	0	0	•	•
19	NILFISK POWER PATIO	128500955	0	0	0	0



	Accessories	Ref. no.	Min. required	E 145.4-9 X- TRA UK	E 145.4-9 P X-TRA UK	E 145.4-9 PA X-TRA UK
	NILFISK WATER FILTER	128500674	0	0	0	0
A P	ROOF CLEANER	128470040	0	0	0	0
	UNDERCHASSIS SPRAY LANCE	6410763	0	0	0	0
9	VSB SET - GREEN	6410891	0	0	0	0
	WALL HOOK	106411386	0	0	0	0
6	WATER SUCTION KIT	126411387	0	0	0	0
Accessory Kit						
	MULTI BRUSH KIT	128470459	0	0	0	0
0000	O-RING KIT CONSUMER HPW	128500292	0	0	0	0
Nozzle - High	Pressure Washer					
Ø	C&C CAR NOZZLE	6411136	0	0	0	0
	TORNADO CC 4 DOTS DARK BLUE	128500854	0	•	•	•
9	UNDER CARRIAGE SPRAY NOZZLE	6411135	0	0	0	0
Hose and Cor	nnection					
9	HOSE TEXTILE SOFT 9M FOR MODEL	128500654	0	•	•	•



The powerful, long-life, low-noise high-pressure washer. Ideal for frequent or larger cleaning tasks

Accessories		Ref. no.	Min. required	E 145.4-9 X- TRA UK	E 145.4-9 P X-TRA UK	E 145.4-9 PA X-TRA UK
	NILFISK BA VALVE COMP. GARDENA	106411177	0	0	0	0

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	O Supplementary accessories, ☐ Mountable equipment Accessories	Ref. no.	Min. required	E 145.4-9 PAD X-TRA UK	E 145.4-9 POWER X- TRA UK	E 145.4-9 X- TRA EU
Brush						
	AUTOBRUSH ALONE	6411131	0	0	0	0
	Car brush head	128500463	0	0	0	0
	FIXED BRUSH SHORT NILFISK SP	128500685	0	0	0	0
	Garden brush head	128470457	0	0	0	0
	RIM BRUSH HEAD	128470458	0	0	0	0
	ROTARY BRUSH	126411395	0	•	0	0
3	ROTARY BRUSH	6410762	0	0	0	0
Accessory						
	C&C FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
9	DRAIN AND TUBE 8M	128500461	0	0	0	0



	Accessories	Ref. no.	Min. required	E 145.4-9 PAD X-TRA UK	E 145.4-9 POWER X- TRA UK	E 145.4-9 X- TRA EU
0	DRAIN AND TUBE CLEANER ALTO	6410766	0	•	0	0
	G4 NOZZLE TUBE SHORT	128500676	0	•	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•	•
	INLET SUCTION HOSE 3M	128500673	0	0	0	0
	MULTI BRUSH	128470456	0	0	0	0
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0	0	0	0
7	NILFISK PATIO ACCESSORY	128500702	0	•	0	0
19	NILFISK POWER PATIO	128500955	0	0	•	0
	NILFISK WATER FILTER	128500674	0	0	0	0
ň	ROOF CLEANER	128470040	0	0	0	0
	UNDERCHASSIS SPRAY LANCE	6410763	0	0	0	0
Ø	VSB SET - GREEN	6410891	0	0	0	0



	Accessories	Ref. no.	Min. required	E 145.4-9 PAD X-TRA UK	E 145.4-9 POWER X- TRA UK	E 145.4-9 X- TRA EU
	WALL HOOK	106411386	0	0	0	0
6	WATER SUCTION KIT	126411387	0	0	0	0
Accessory Kit						
	MULTI BRUSH KIT	128470459	0	0	0	0
°0000	O-RING KIT CONSUMER HPW	128500292	0	0	0	0
Nozzle - High	Pressure Washer				'	
Ø	C&C CAR NOZZLE	6411136	0	0	0	0
	TORNADO CC 4 DOTS DARK BLUE	128500854	0	•	•	•
9	UNDER CARRIAGE SPRAY NOZZLE	6411135	0	0	0	0
Hose and Cor	nnection					
9	HOSE TEXTILE SOFT 9M FOR MODEL	128500654	0	•	•	•
	NILFISK BA VALVE COMP. GARDENA	106411177	0	0	0	0

 $[\]bullet$ Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

Accessories		Ref. no.	Min. required	E 145.4-9 P X- TRA EU	E 145.4-9 PA X-TRA EU	E 145.4-9 PAD X-TRA EU
Brush						
	AUTOBRUSH ALONE	6411131	0	0	0	0



	Accessories	Ref. no.	Min. required	E 145.4-9 P X- TRA EU	E 145.4-9 PA X-TRA EU	E 145.4-9 PAD X-TRA EU
	Car brush head	128500463	0	0	0	0
	FIXED BRUSH SHORT NILFISK SP	128500685	0	0	0	0
	Garden brush head	128470457	0	0	0	0
	RIM BRUSH HEAD	128470458	0	0	0	0
	ROTARY BRUSH	126411395	0	0	•	•
3	ROTARY BRUSH	6410762	0	0	0	0
Accessory						
	C&C FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
9	DRAIN AND TUBE 8M	128500461	0	0	0	•
O	DRAIN AND TUBE CLEANER ALTO	6410766	0	0	0	0
	G4 NOZZLE TUBE SHORT	128500676	0	•	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•	•
	INLET SUCTION HOSE 3M	128500673	0	0	0	O



	Accessories	Ref. no.	Min. required	E 145.4-9 P X- TRA EU	E 145.4-9 PA X-TRA EU	E 145.4-9 PAD X-TRA EU
	MULTI BRUSH	128470456	0	0	0	0
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0	0	0	0
7	NILFISK PATIO ACCESSORY	128500702	0	•	•	•
19	NILFISK POWER PATIO	128500955	0	0	0	0
	NILFISK WATER FILTER	128500674	0	0	0	0
i li	ROOF CLEANER	128470040	0	0	0	0
	UNDERCHASSIS SPRAY LANCE	6410763	0	0	0	0
9	VSB SET - GREEN	6410891	0	0	0	0
	WALL HOOK	106411386	0	0	0	0
6-	WATER SUCTION KIT	126411387	0	0	0	0
Accessory Kit						
	MULTI BRUSH KIT	128470459	0	0	0	0
°°000	O-RING KIT CONSUMER HPW	128500292	0	0	0	0



	Accessories	Ref. no.	Min. required	E 145.4-9 P X- TRA EU	E 145.4-9 PA X-TRA EU	E 145.4-9 PAD X-TRA EU
Nozzle - High	Pressure Washer					
*	C&C CAR NOZZLE	6411136	0	0	0	0
	TORNADO CC 4 DOTS DARK BLUE	128500854	0	•	•	•
9	UNDER CARRIAGE SPRAY NOZZLE	6411135	0	0	0	0
Hose and Co	nnection	·				
9	HOSE TEXTILE SOFT 9M FOR MODEL	128500654	0	•	•	•
	NILFISK BA VALVE COMP. GARDENA	106411177	0	0	0	0

 $[\]bullet$ Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	E 145.4-9 POWER X- TRA EU
Brush				
	AUTOBRUSH ALONE	6411131	0	0
	Car brush head	128500463	0	0
	FIXED BRUSH SHORT NILFISK SP	128500685	0	0
	Garden brush head	128470457	0	0
	RIM BRUSH HEAD	128470458	0	0



	Accessories	Ref. no.	Min. required	E 145.4-9 POWER X- TRA EU
	ROTARY BRUSH	126411395	0	0
3	ROTARY BRUSH	6410762	0	0
Accessory				
	C&C FOAMSPRAYER WITH BOTTLE	128500077	0	•
9	DRAIN AND TUBE 8M	128500461	0	0
O	DRAIN AND TUBE CLEANER ALTO	6410766	0	0
	G4 NOZZLE TUBE SHORT	128500676	0	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•
	INLET SUCTION HOSE 3M	128500673	0	0
	MULTI BRUSH	128470456	0	0
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0	0
7	NILFISK PATIO ACCESSORY	128500702	0	0
19	NILFISK POWER PATIO	128500955	0	•



	Accessories	Ref. no.	Min. required	E 145.4-9 POWER X- TRA EU
	NILFISK WATER FILTER	128500674	0	0
A THE	ROOF CLEANER	128470040	0	0
	UNDERCHASSIS SPRAY LANCE	6410763	0	0
4	VSB SET - GREEN	6410891	0	0
	WALL HOOK	106411386	0	0
6	WATER SUCTION KIT	126411387	0	O
Accessory Kit		'		
	MULTI BRUSH KIT	128470459	0	0
0000	O-RING KIT CONSUMER HPW	128500292	0	O
Nozzle - High	Pressure Washer			
•	C&C CAR NOZZLE	6411136	0	0
	TORNADO CC 4 DOTS DARK BLUE	128500854	0	•
9	UNDER CARRIAGE SPRAY NOZZLE	6411135	0	0
Hose and Con	nection			



	Accessories	Ref. no.	Min. required	E 145.4-9 POWER X- TRA EU
9	HOSE TEXTILE SOFT 9M FOR MODEL	128500654	0	•
	NILFISK BA VALVE COMP. GARDENA	106411177	0	0

